

Author index to volume 290

- Aldea, E., see Brussaard, G.J.H. 290 (1998) 379
- Allouche, A.R., see Benichou, E. 290 (1998) 171
- Antoine, R., see Benichou, E. 290 (1998) 171
- Arvanitidis, J., see Meletov, K.P. 290 (1998) 125
- Asahi, N. and Y. Nakamura, Chemical shift study of liquid and supercritical methanol 290 (1998) 63
- Aubert-Frecon, M., see Benichou, E. 290 (1998) 171
- Bacskay, G.B., M. Martoprawiro and J.C. Mackie, An ab initio quantum chemical study of the electronic structure and stability of the pyrrolyl radical: Comparison with the isoelectronic cyclopentadienyl radical 290 (1998) 391
- Bader, R.F.W., R.J. Gillespie and F. Martín, Core distortions in metal atoms and the use of effective core potentials 290 (1998) 488
- Bagchi, B., see Biswas, R. 290 (1998) 223
- Balasubramanian, K., see Tan, H. 290 (1998) 458
- Bandara, A., S. Katano, J. Kubota, K. Onda, A. Wada, K. Domen and C. Hirose, The effect of co-adsorption of on-top CO on the sum-frequency generation signal of bridge CO on the Ni(111) surface 290 (1998) 261
- Bellert, D., T. Buthelezi and P.J. Brucat, The structure of $\text{Co}^+ \cdot \text{OCO}$ 290 (1998) 316
- Ben-Nun, M. and T.J. Martínez, Direct evaluation of the Pauli repulsion energy using 'classical' wavefunctions in hybrid quantum/classical potential energy surfaces 290 (1998) 289
- Benichou, E., A.R. Allouche, M. Aubert-Frecon, R. Antoine, M. Broyer, Ph. Dugourd and D. Rayane, Experimental and theoretical investigations of ionization potentials and structures of mixed sodium lithium clusters 290 (1998) 171
- Bifone, A., see Casalis, L. 290 (1998) 245
- Billing, G.D., Vibrational relaxation of adsorbed molecules by coupling to electron-hole pair excitation 290 (1998) 150
- Billing, G.D., see Laursen, C.M. 290 (1998) 275
- Biswas, R. and B. Bagchi, Ion solvation dynamics in supercritical water 290 (1998) 223
- Borshch, S.A., see Duclaud, H. 290 (1998) 526
- Braga, M., see do Monte, S.A. 290 (1998) 136
- Brenier, A., Laser-heated pedestal growth of Er^{3+} -doped Gd_2O_3 single crystal fibres and up-conversion processes 290 (1998) 329
- Brink, C., P. Hvelplund, H. Shen, H.A. Jiménez-Vázquez, R.J. Cross and M. Saunders, Collisional fragmentation of Ar@C_{60} 290 (1998) 551
- Broyer, M., see Benichou, E. 290 (1998) 171
- Brucat, P.J., see Bellert, D. 290 (1998) 316
- Brunetti, B.G., P. Candori, J. De Andres, S. Falcinelli, M. Stramaccia and F. Vecchiocattivi, Metastable hydrogen atom scattering by crossed molecular beams: Total cross-sections for $\text{H}(2s)$ –Kr, O_2 and Cl_2 at thermal energies 290 (1998) 17

Author index to volume 290

- Aldea, E., see Brussaard, G.J.H. 290 (1998) 379
- Allouche, A.R., see Benichou, E. 290 (1998) 171
- Antoine, R., see Benichou, E. 290 (1998) 171
- Arvanitidis, J., see Meletov, K.P. 290 (1998) 125
- Asahi, N. and Y. Nakamura, Chemical shift study of liquid and supercritical methanol 290 (1998) 63
- Aubert-Frecon, M., see Benichou, E. 290 (1998) 171
- Bacskay, G.B., M. Martoprawiro and J.C. Mackie, An ab initio quantum chemical study of the electronic structure and stability of the pyrrolyl radical: Comparison with the isoelectronic cyclopentadienyl radical 290 (1998) 391
- Bader, R.F.W., R.J. Gillespie and F. Martín, Core distortions in metal atoms and the use of effective core potentials 290 (1998) 488
- Bagchi, B., see Biswas, R. 290 (1998) 223
- Balasubramanian, K., see Tan, H. 290 (1998) 458
- Bandara, A., S. Katano, J. Kubota, K. Onda, A. Wada, K. Domen and C. Hirose, The effect of co-adsorption of on-top CO on the sum-frequency generation signal of bridge CO on the Ni(111) surface 290 (1998) 261
- Bellert, D., T. Buthelezi and P.J. Brucat, The structure of $\text{Co}^+ \cdot \text{OCO}$ 290 (1998) 316
- Ben-Nun, M. and T.J. Martínez, Direct evaluation of the Pauli repulsion energy using 'classical' wavefunctions in hybrid quantum/classical potential energy surfaces 290 (1998) 289
- Benichou, E., A.R. Allouche, M. Aubert-Frecon, R. Antoine, M. Broyer, Ph. Dugourd and D. Rayane, Experimental and theoretical investigations of ionization potentials and structures of mixed sodium lithium clusters 290 (1998) 171
- Bifone, A., see Casalis, L. 290 (1998) 245
- Billing, G.D., Vibrational relaxation of adsorbed molecules by coupling to electron-hole pair excitation 290 (1998) 150
- Billing, G.D., see Laursen, C.M. 290 (1998) 275
- Biswas, R. and B. Bagchi, Ion solvation dynamics in supercritical water 290 (1998) 223
- Borshch, S.A., see Duclaud, H. 290 (1998) 526
- Braga, M., see do Monte, S.A. 290 (1998) 136
- Brenier, A., Laser-heated pedestal growth of Er^{3+} -doped Gd_2O_3 single crystal fibres and up-conversion processes 290 (1998) 329
- Brink, C., P. Hvelplund, H. Shen, H.A. Jiménez-Vázquez, R.J. Cross and M. Saunders, Collisional fragmentation of Ar@C_{60} 290 (1998) 551
- Broyer, M., see Benichou, E. 290 (1998) 171
- Brucat, P.J., see Bellert, D. 290 (1998) 316
- Brunetti, B.G., P. Candori, J. De Andres, S. Falcinelli, M. Stramaccia and F. Vecchiocattivi, Metastable hydrogen atom scattering by crossed molecular beams: Total cross-sections for $\text{H}(2s)$ –Kr, O_2 and Cl_2 at thermal energies 290 (1998) 17

- Brunner, E., M. Haake, A. Pines, J.A. Reimer and R. Seydoux, Enhancement of ^{13}C NMR signals in solid C_{60} and C_{70} using laser-polarized xenon 290 (1998) 112
- Brussaard, G.J.H., E. Aldea, M.C.M. van de Sanden, G. Dinescu and D.C. Schram, Evidence for charge exchange between N^+ and $\text{N}_2(\text{A}^3\Sigma_u^+)$ in a low-temperature nitrogen plasma 290 (1998) 379
- Buthelezi, T., see Bellert, D. 290 (1998) 316
- Cai, W.-S., see Guo, Q.-X. 290 (1998) 514
- Candori, P., see Brunetti, B.G. 290 (1998) 17
- Cao, J., H. Ihee and A.H. Zewail, Ultrafast electron diffraction: determination of radical structure with picosecond time resolution 290 (1998) 1
- Cao, X., C. Qiao and D. Wang, HeI photoelectron spectroscopic study of the electronic structure of SSF_2 and FSSF compounds 290 (1998) 405
- Capitelli, M., see Hassouni, K. 290 (1998) 502
- Caratti, G., R. Ferrando, R. Spadacini, G.E. Tommei and I. Zelenskaya, Resonant diffusion in periodic systems with memory 290 (1998) 509
- Casalis, L., S. Günther, J. Kovač, M. Marsi, M. Kiskinova and A. Bifone, Bimetallic aggregates at surfaces: spectromicroscopy study of Pt–Ag interaction on graphite 290 (1998) 245
- Chen, L., R. Wu, N. Kioussis and Q. Zhang, First principles determinations of the bonding mechanism and adsorption energy for CO/MgO(001) 290 (1998) 255
- Christoffersen, E., see Laursen, C.M. 290 (1998) 275
- Chung, D.D., see Takeda, J. 290 (1998) 341
- Cool, T.A., see Werner, J.H. 290 (1998) 81
- Cross, R.J., see Brink, C. 290 (1998) 551
- De Andres, J., see Brunetti, B.G. 290 (1998) 17
- De Giambiagi, M.S., see de Oliveira Neto, M. 290 (1998) 205
- De Oliveira Neto, M., M.S. de Giambiagi and M. Giambiagi, Influence of the hypermodified Y base on the A · U pairing in the codon–anticodon interaction 290 (1998) 205
- De Vivie-Riedle, R., see Manz, J. 290 (1998) 415
- Dinescu, G., see Brussaard, G.J.H. 290 (1998) 379
- Dogariu, A., see Vacar, D. 290 (1998) 58
- Domen, K., see Bandara, A. 290 (1998) 261
- Do Monte, S.A. and M. Braga, Electronic factor for photoinduced electron transfer in porphyrin–bridge–quinone systems 290 (1998) 136
- Dreger, Z.A., J.O. White and H.G. Drickamer, High pressure-controlled intramolecular-twist of flexible molecules in solid polymers 290 (1998) 399
- Drickamer, H.G., see Dreger, Z.A. 290 (1998) 399
- Duclusaud, H. and S.A. Borshch, On the nature of the charge-transfer transient in photocatalysis by the decatungstate anion 290 (1998) 526
- Dugourd, Ph., see Benichou, E. 290 (1998) 171
- Duncan, D.I., see Maas, D.J. 290 (1998) 75
- Duppen, K., see Steffen, T. 290 (1998) 229
- Egsgaard, H., see Wallington, T.J. 290 (1998) 363
- Erickson, R., see Kadam, R.M. 290 (1998) 371
- Falcinelli, S., see Brunetti, B.G. 290 (1998) 17
- Fang, W.-H., see Shao, G.-Q. 290 (1998) 193

- Ferrando, R., see Caratti, G. 290 (1998) 509
- Ferretti, A., A. Lami and G. Villani, Interference effects in molecular system with curve crossing 290 (1998) 131
- Fieberg, J.E., G.J. Szulczewski and J.M. White, Trimodal velocity distributions of nitric oxide for ultraviolet photodissociation of CH_3ONO adsorbed on $\text{Ag}(111)$ 290 (1998) 268
- Foggi, P., see Lednev, I.K. 290 (1998) 68
- Fuke, K., see Takasu, R. 290 (1998) 481
- Garamus, V.M., A new method for the determination of the dehydration coefficient of ethylene oxide groups of non-ionic surfactants in mixed micelles 290 (1998) 251
- García-Vela, A., On the validity of the time-dependent self-consistent-field. approach: application to the vibrational predissociation of $\text{Cl}_2\text{-Ne}$ 290 (1998) 155
- Garland, N.L., Temperature dependence of the reaction: $\text{SO} + \text{O}_2$ 290 (1998) 385
- Giambiagi, M., see de Oliveira Neto, M. 290 (1998) 205
- Gicquel, A., see Hassouni, K. 290 (1998) 502
- Gillespie, R.J., see Bader, R.F.W. 290 (1998) 488
- Grant, I.P., see Quiney, H.M. 290 (1998) 473
- Green Jr., W.H., D.J. Tozer and N.C. Handy, Learnings from exchange-correlation potentials 290 (1998) 465
- Gregoratti, L., see Potts, A.W. 290 (1998) 304
- Güdel, H.U., see Müller, P. 290 (1998) 105
- Gullion, T. and C.H. Pennington, θ -REDOR: an MAS NMR method to simplify multiple coupled heteronuclear spin systems 290 (1998) 88
- Günther, S., see Casalis, L. 290 (1998) 245
- Gunther, S., see Potts, A.W. 290 (1998) 304
- Guo, Q.-X., L. Liu, W.-S. Cai, Y. Jiang and Y.-C. Liu, Driving force prediction for inclusion complexation of α -cyclodextrin with benzene derivatives by a wavelet neural network 290 (1998) 514
- Guo-xin, C., P.P. Ong and L. Ting, DFT approach for electron affinity of negative atomic ions 290 (1998) 211
- Gupta, A.K. and D. Neuhauser, Control of harmonic generation by initial-state preparation 290 (1998) 543
- Ha, T.-K., see Suleimenov, O.M. 290 (1998) 451
- Haake, M., see Brunner, E. 290 (1998) 112
- Hamm, P., see Lim, M. 290 (1998) 355
- Handy, N.C., see Green Jr., W.H. 290 (1998) 465
- Harb, C.C., see Levenson, M.D. 290 (1998) 335
- Harris Jr., J.S., see Levenson, M.D. 290 (1998) 335
- Hashimoto, H., see Sashima, T. 290 (1998) 36
- Hashimoto, K., see Takasu, R. 290 (1998) 481
- Hassouni, K., A. Gicquel and M. Capitelli, The role of dissociative attachment from Rydberg states in enhancing H^- concentration in moderate- and low-pressure H_2 plasma sources 290 (1998) 502
- Heeger, A.J., see Vacar, D. 290 (1998) 58
- Hermida-Ramón, J.M. and M.A. Ríos, Ab initio molecular orbital analysis of acetaldehyde dimers. Thermodynamic properties 290 (1998) 431
- Hester, R.E., see Lednev, I.K. 290 (1998) 68
- Hetzer, G., P. Pulay and H.-J. Werner, Multipole approximation of distant pair energies in local MP2 calculations 290 (1998) 143

- Hikida, T., see Matsushita, Y. 290 (1998) 349
- Hirata, F., see Kovalenko, A. 290 (1998) 237
- Hirose, C., see Bandara, A. 290 (1998) 261
- Hochstrasser, R.M., see Lim, M. 290 (1998) 355
- Hvelplund, P., see Brink, C. 290 (1998) 551
- Iguchi, K., see Tachikawa, M. 290 (1998) 437
- Ihee, H., see Cao, J. 290 (1998) 1
- Ishida, T. and H. Katagiri, Corrigendum to "Spin-orbit effects on Penning ionization: $\text{Ar} + \text{He}^*(2^3\text{S}) \rightarrow \text{Ar}^+(^2\text{P}_{3/2}, ^2\text{P}_{1/2}) + \text{He} + \text{e}^-$. An ab initio and trajectory study". [Chem. Phys. Lett. 274 (1997) 293-298] 290 (1998) 296
- Jankowski, K., see Kowalski, K. 290 (1998) 180
- Janssen, C.L. and I.M.B. Nielsen, New diagnostics for coupled-cluster and Møller-Plesset perturbation theory 290 (1998) 423
- Jiang, Y., see Guo, Q.-X. 290 (1998) 514
- Jiménez-Vázquez, H.A., see Brink, C. 290 (1998) 551
- Kadam, R.M., R. Erickson, K. Komaguchi, M. Shiotani and A. Lund, ENDOR and EPR studies of benzene radical cations in halocarbon matrices: the static Jahn-Teller distortion of the monomer and geometry of the dimer cation 290 (1998) 371
- Kais, S., see Murthy, G. 290 (1998) 199
- Katagiri, H., see Ishida, T. 290 (1998) 296
- Katano, S., see Bandara, A. 290 (1998) 261
- Keir, R.I. and G.L.D. Ritchie, Rayleigh depolarization ratios and molecular polarizability anisotropies of BX_3 ($\text{X} = \text{F}, \text{Cl}, \text{Br}, \text{I}$). Comparison of experimental results and ab initio calculations 290 (1998) 409
- Kioussis, N., see Chen, L. 290 (1998) 255
- Kiskinova, M., see Casalis, L. 290 (1998) 245
- Kiskinova, M., see Potts, A.W. 290 (1998) 304
- Koglin, D., see Koglin, E. 290 (1998) 99
- Koglin, E., D. Koglin, R.J. Meier and S. van Heel, A combined experimental far-infrared and computational density functional approach applied to aluminum-alkyl cocatalysts 290 (1998) 99
- Komaguchi, K., see Kadam, R.M. 290 (1998) 371
- Kourouklis, G.A., see Meletov, K.P. 290 (1998) 125
- Kovač, J., see Casalis, L. 290 (1998) 245
- Kovalenko, A. and F. Hirata, Three-dimensional density profiles of water in contact with a solute of arbitrary shape: a RISM approach 290 (1998) 237
- Kowalski, K. and K. Jankowski, Full solution to the coupled-cluster equations: the H4 model 290 (1998) 180
- Koyama, Y., see Sashima, T. 290 (1998) 36
- Kubo, A., see Yoshizawa, M. 290 (1998) 43
- Kubota, J., see Bandara, A. 290 (1998) 261
- LaBuda, M.J. and J.C. Wright, Vibrationally enhanced four-wave mixing in 1,8-nonadiyne 290 (1998) 29
- Laenen, R. and K. Simeonidis, Towards a more detailed understanding of the OH-stretching bands of H-bonded liquids 290 (1998) 94
- Lafuente, P., see Novoa, J.J. 290 (1998) 519

- Lami, A., see Ferretti, A. 290 (1998) 131
- Lascola, R. and J.C. Wright, Measurement of the second-order molecular hyperpolarizability of fullerene anions by CARS spectroscopy 290 (1998) 117
- Laursen, C.M., E. Christoffersen and G.D. Billing, On the complexity of molecule-surface reactions 290 (1998) 275
- Lednev, I.K., T.-Q. Ye, P. Matousek, M. Towrie, P. Foggi, F.V.R. Neuwahl, S. Umapathy, R.E. Hester and J.N. Moore, Femtosecond time-resolved UV-visible absorption spectroscopy of trans-azobenzene: dependence on excitation wavelength 290 (1998) 68
- Lee, S.-H. and K. Liu, Isotope effects and excitation functions for the reactions of $S(^1D) + H_2$, D_2 and HD 290 (1998) 323
- Levenson, M.D., B.A. Paldus, T.G. Spence, C.C. Harb, J.S. Harris Jr. and R.N. Zare, Optical heterodyne detection in cavity ring-down spectroscopy 290 (1998) 335
- Liao, M., see Tan, H. 290 (1998) 458
- Liarokapis, E., see Meletov, K.P. 290 (1998) 125
- Lim, M., M.F. Wolford, P. Hamm and R.M. Hochstrasser, Chirped wavepacket dynamics of HgBr from the photolysis of HgBr₂ in solution 290 (1998) 355
- Liu, K., see Lee, S.-H. 290 (1998) 323
- Liu, L., see Guo, Q.-X. 290 (1998) 514
- Liu, Y.-C., see Guo, Q.-X. 290 (1998) 514
- Lubberhuizen, W.H., see Salafsky, J.S. 290 (1998) 297
- Lund, A., see Kadam, R.M. 290 (1998) 371
- Maas, D.J., D.I. Duncan, R.B. Vrijen, W.J. van der Zande and L.D. Noordam, Vibrational ladder climbing in NO by (sub)picosecond frequency-chirped infrared laser pulses 290 (1998) 75
- Mackie, J.C., see Bacskey, G.B. 290 (1998) 391
- Manz, J., K. Sundermann and R. de Vivie-Riedle, Quantum optimal control strategies for photoisomerization via electronically excited states 290 (1998) 415
- Marsi, M., see Casalis, L. 290 (1998) 245
- Marsi, M., see Potts, A.W. 290 (1998) 304
- Martín, F., see Bader, R.F.W. 290 (1998) 488
- Martin, J.M.L., see Uzan, O. 290 (1998) 535
- Martínez, T.J., see Ben-Nun, M. 290 (1998) 289
- Martoprawiro, M., see Bacskey, G.B. 290 (1998) 391
- Matousek, P., see Lednev, I.K. 290 (1998) 68
- Matsushita, Y. and T. Hikida, TICT state formation in the 4'-dimethylaminoacetophenone- α -cyclodextrin inclusion complex 290 (1998) 349
- Meier, R.J., see Koglin, E. 290 (1998) 99
- Meletov, K.P., E. Liarokapis, J. Arvanitidis, K. Papagelis, D. Palles, G.A. Kourouklis and S. Ves, On the nature of the laser irradiation induced reversible softening of phonon modes in C₆₀ single crystals 290 (1998) 125
- Mezzasalma, S.A., Decrease of the bulk elemental concentration in solid/solution growth processes as a recursive mechanism. A class of kinetic equations deduced from adsorption isotherm maps 290 (1998) 282
- Moore, J.N., see Lednev, I.K. 290 (1998) 68
- Mori, K., see Tachikawa, M. 290 (1998) 437
- Morrison, G.R., see Potts, A.W. 290 (1998) 304
- Mota, F., see Novoa, J.J. 290 (1998) 519

- Müller, P., M. Wermuth and H.U. Güdel, Mechanisms of near-infrared to visible upconversion in CsCdBr₃:Ho³⁺ 290 (1998) 105
- Murthy, G. and S. Kais, Renormalization group approach for electronic excitations in atoms 290 (1998) 199
- Nagae, H., see Sashima, T. 290 (1998) 36
- Nakai, H., see Tachikawa, M. 290 (1998) 437
- Nakamura, Y., see Asahi, N. 290 (1998) 63
- Nakano, M. and K. Yamaguchi, Numerical coupled Liouville approach: the dependence of the second hyperpolarizability on field intensity and the size of linear molecular aggregates 290 (1998) 216
- Narikiyo, O., Comment on "correlation length and density fluctuations in supercritical states of carbon dioxide" 290 (1998) 549
- Naumkin, F.Y. and D.J. Wales, Influence of the atom-atom interaction anisotropy on the structure and stability of Ar_nCl₂ clusters 290 (1998) 164
- Nelson, K.A., see Takeda, J. 290 (1998) 341
- Neuhauser, D., see Gupta, A.K. 290 (1998) 543
- Neuwahl, F.V.R., see Lednev, I.K. 290 (1998) 68
- Nielsen, I.M.B., see Janssen, C.L. 290 (1998) 423
- Nielsen, O.J., see Wallington, T.J. 290 (1998) 363
- Noordam, L.D., see Maas, D.J. 290 (1998) 75
- Novoa, J.J., P. Lafuente and F. Mota, Are non-linear C-H ··· O contacts hydrogen bonds or Van der Waals interactions? Establishing the limits between hydrogen bonds and Van der Waals interactions 290 (1998) 519
- Onda, K., see Bandara, A. 290 (1998) 261
- Ong, P.P., see Guo-xin, C. 290 (1998) 211
- Ōsawa, E., see Slanina, Z. 290 (1998) 311
- Paldus, B.A., see Levenson, M.D. 290 (1998) 335
- Palles, D., see Meletov, K.P. 290 (1998) 125
- Pan, D.-H., see Shoute, L.C.T. 290 (1998) 24
- Papagelis, K., see Meletov, K.P. 290 (1998) 125
- Pennington, C.H., see Gullion, T. 290 (1998) 88
- Perić, M. and J. Radić-Perić, Ab initio investigation of the vibronic structure and the spin-orbit coupling in the X²Π_u state of C₂D₂⁺ 290 (1998) 443
- Phillips, D.L., see Shoute, L.C.T. 290 (1998) 24
- Pines, A., see Brunner, E. 290 (1998) 112
- Platz, J., see Wallington, T.J. 290 (1998) 363
- Potts, A.W., G.R. Morrison, L. Gregoratti, S. Gunther, M. Kiskinova and M. Marsi, Selective oxidation of surface grains in polycrystalline tin 290 (1998) 304
- Pulay, P., see Hetzer, G. 290 (1998) 143
- Qiao, C., see Cao, X. 290 (1998) 405
- Quiney, H.M., H. Skaane and I.P. Grant, Relativistic, quantum electrodynamic and many-body effects in the water molecule 290 (1998) 473
- Radić-Perić, J., see Perić, M. 290 (1998) 443
- Ramachandram, B. and A. Samanta, How important is the quenching influence of the transition metal ions in the design of fluorescent PET sensors? 290 (1998) 9

- Ramasami, T., see Subramanian, V. 290 (1998) 189
Rayane, D., see Benichou, E. 290 (1998) 171
Reimer, J.A., see Brunner, E. 290 (1998) 112
Ríos, M.A., see Hermida-Ramón, J.M. 290 (1998) 431
Ritchie, G.L.D., see Keir, R.I. 290 (1998) 409
- Saikan, S., see Yoshizawa, M. 290 (1998) 43
Salafsky, J.S., W.H. Lubberhuizen and R.E.I. Schropp, Photoinduced charge separation and recombination in a conjugated polymer-semiconductor nanocrystal composite 290 (1998) 297
Samanta, A., see Ramachandram, B. 290 (1998) 9
Sashima, T., M. Shiba, H. Hashimoto, H. Nagae and Y. Koyama, The $2A_g^-$ energy of crystalline all-trans-spheroidene as determined by resonance-Raman excitation profiles 290 (1998) 36
Saunders, M., see Brink, C. 290 (1998) 551
Schram, D.C., see Brussaard, G.J.H. 290 (1998) 379
Schropp, R.E.I., see Salafsky, J.S. 290 (1998) 297
Sehested, J., see Wallington, T.J. 290 (1998) 363
Seydoux, R., see Brunner, E. 290 (1998) 112
Shao, G.-Q. and W.-H. Fang, Equilibrium geometry of the HCCP triplet ground state: phospho-carbene, phospho-allene or phosphorene? A combined density functional and ab initio study 290 (1998) 193
Shen, H., see Brink, C. 290 (1998) 551
Shiba, M., see Sashima, T. 290 (1998) 36
Shiotani, M., see Kadam, R.M. 290 (1998) 371
Shoute, L.C.T., D.-H. Pan and D.L. Phillips, Nanosecond time-resolved resonance Raman investigation of the $T_1 \rightarrow T_n$ transition of 2-bromonaphthalene 290 (1998) 24
Simeonidis, K., see Laenen, R. 290 (1998) 94
Sivanesan, D., see Subramanian, V. 290 (1998) 189
Skaane, H., see Quiney, H.M. 290 (1998) 473
Slanina, Z., X. Zhao and E. Ōsawa, C_{36} fullerenes and *quasi*-fullerenes: computational search through 598 cages 290 (1998) 311
Spadacini, R., see Caratti, G. 290 (1998) 509
Spence, T.G., see Levenson, M.D. 290 (1998) 335
Steffen, T. and K. Duppen, Mode coupling mechanisms in the impulsive 2D Raman response of liquid CS_2 290 (1998) 229
Stein, T., see Wallington, T.J. 290 (1998) 363
Stramaccia, M., see Brunetti, B.G. 290 (1998) 17
Subramanian, V., D. Sivanesan and T. Ramasami, The role of solvent on the base stacking properties of the stacked cytosine dimer 290 (1998) 189
Suleimenov, O.M. and T.-K. Ha, Ab initio calculation of the thermochemical properties of polysulphanes (H_2S_n) 290 (1998) 451
Sundermann, K., see Manz, J. 290 (1998) 415
Suzuki, K., see Yoshizawa, M. 290 (1998) 43
Szulczewski, G.J., see Fieberg, J.E. 290 (1998) 268
- Tachikawa, M., K. Mori, H. Nakai and K. Iguchi, An extension of ab initio molecular orbital theory to nuclear motion 290 (1998) 437
Taguchi, T., see Takasu, R. 290 (1998) 481

- Takasu, R., T. Taguchi, K. Hashimoto and K. Fuke, Microscopic solvation process of single Li atom in small water clusters 290 (1998) 481
- Takeda, J., D.D. Chung, J. Zhou and K.A. Nelson, Intramolecular proton transfer of a 2-(2',4'-dinitrobenzyl)pyridine studied by femtosecond transient absorption spectroscopy 290 (1998) 341
- Tan, H., M. Liao and K. Balasubramanian, Potential energy surfaces of OsCO 290 (1998) 458
- Tang, J., Structural implications of transient X-, K- and W-band EPR spectra of deuterated and protonated reaction centers of *Rhodobacter sphaeroides* R-26 290 (1998) 49
- Ting, L., see Guo-xin, C. 290 (1998) 211
- Tommei, G.E., see Caratti, G. 290 (1998) 509
- Towrie, M., see Lednev, I.K. 290 (1998) 68
- Tozer, D.J., see Green Jr., W.H. 290 (1998) 465
- Umapathy, S., see Lednev, I.K. 290 (1998) 68
- Uzan, O. and J.M.L. Martin, Can Si=O bonds be stabilized by Rh/Ir complexes? A density functional theory study 290 (1998) 535
- Vacar, D., A. Dogariu and A.J. Heeger, Ultrafast gain and excited-state absorption in luminescent polymers: pump-wavelength invariance 290 (1998) 58
- Van der Zande, W.J., see Maas, D.J. 290 (1998) 75
- Van de Sanden, M.C.M., see Brussaard, G.J.H. 290 (1998) 379
- Van Heel, S., see Koglin, E. 290 (1998) 99
- Vecchiocattivi, F., see Brunetti, B.G. 290 (1998) 17
- Ves, S., see Meletov, K.P. 290 (1998) 125
- Vigasin, A.A., Mass-action law for highly excited dimers 290 (1998) 495
- Villani, G., see Ferretti, A. 290 (1998) 131
- Vrijen, R.B., see Maas, D.J. 290 (1998) 75
- Wada, A., see Bandara, A. 290 (1998) 261
- Wales, D.J., see Naumkin, F.Y. 290 (1998) 164
- Wallington, T.J., H. Egsgaard, O.J. Nielsen, J. Platz, J. Sehested and T. Stein, UV-visible spectrum of the phenyl radical and kinetics of its reaction with NO in the gas phase 290 (1998) 363
- Wang, D., see Cao, X. 290 (1998) 405
- Wermuth, M., see Müller, P. 290 (1998) 105
- Werner, H.-J., see Hetzer, G. 290 (1998) 143
- Werner, J.H. and T.A. Cool, Flame sampling photoionization mass spectrometry of dichloroethanol 290 (1998) 81
- White, J.M., see Fieberg, J.E. 290 (1998) 268
- White, J.O., see Dreger, Z.A. 290 (1998) 399
- Wolford, M.F., see Lim, M. 290 (1998) 355
- Wright, J.C., see LaBuda, M.J. 290 (1998) 29
- Wright, J.C., see Lascola, R. 290 (1998) 117
- Wu, R., see Chen, L. 290 (1998) 255
- Yamaguchi, K., see Nakano, M. 290 (1998) 216
- Ye, T.-Q., see Lednev, I.K. 290 (1998) 68
- Yoshizawa, M., K. Suzuki, A. Kubo and S. Saikan, Femtosecond study of S₂ fluorescence in malachite green in solutions 290 (1998) 43
- Zare, R.N., see Levenson, M.D. 290 (1998) 335

- Zelenskaya, I., see Caratti, G. 290 (1998) 509
Zewail, A.H., see Cao, J. 290 (1998) 1
Zhang, Q., see Chen, L. 290 (1998) 255
Zhao, X., see Slanina, Z. 290 (1998) 311
Zhou, J., see Takeda, J. 290 (1998) 341

